# Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; c, a conference report; r, a book review. Abbreviations: fr, fibre-reinforced; lw, lightweight.


acid resistance
  lw aggregate concrete with polymer microparticles, 127–30
acoustic emission
  monitoring of flexural failure, 97–103
adhesion problems
  concrete recyling, 137r
adhesive
  epoxy resin used in repair, 247–54
  open sandwich slabs, 153–5
age dependence
  dynamic elasticity modulus, 280–1
  properties of PFA lw concrete, 270–2, 273
  strength of vegetable fr concrete, 9, 10
aggregates
  mineral byproducts, 284c
  morphology of bond to cement, 79–86
**Ahuja, B. M.,** Ramaswamy and Krishnamoorthy, 'Behaviour of concrete reinforced with jute, coir and bamboo fibres', 3–13
air entraining agent, 130
**Akers, S. A. S.** and Garrett, 'Acoustic emission monitoring of flexural failure in asbestos cement composites', 97–103
**Akers, S. A. S.** and Garrett, 'The relevance of single fibre models to the industrial behaviour of asbestos cement composites', 173–9
anchorage
  deformed steel bars in lw concrete, 115–19
asbestos fr cement composites
  flexural failure, 97–103
  relevance of single fibre models, 173–8
**Azad, A. K.** and Tewfik, 'Creep of sulfur–sand composite under uniaxial compression', 55–8
**Aziz, M. A.** and Mansur, 'Study of bamboo-mesh reinforced cement composites', 165–71

**Baggott, R.,** 'Polypropylene fibre reinforcement of lightweight cementitious matrices', 105–14
bamboo fr cement composites, 165–71
bamboo fr concrete, 4–13
beams
  composite, 151–63
  steel fr, in torsion, 235–46
**Bentur, A.** and Mindess, 'Concrete beams reinforced with conventional steel bars and steel fibres: properties in static loading', 199–202
**Berntsson, L.** and Chandra, 'Influence of polymer microparticles on acid resistance of structural lightweight aggregate concrete', 127–31
bond and bonding
  cement–aggregate morphology, 79–86
  cement pastes, 133c
  steel fr concrete pull-out, 229–30
bond factor
  steel fr concrete, 238–9, 241
bond strength
  bamboo fr cement composites, 165–71
  relationship to bulk properties, 173–8
book reviews, 65–8r, 137–40r, 212–14r, 287–9r
bridges
  design course, 73
  open sandwich slab deck models, 151–63
  repair, 1e, 38, 40, 62–3c, 288–9r

catenary deck slabs, 151–63
cement (see also portland cement)
  hydraulic, 133–4c
cement composites
  asbestos, 97–103
  asbestos fr, and models, 173–8
  bamboo-mesh reinforced, 165–71
  durability, 1e
  finite element analysis for sandwich plates, 181–90
  flax fr mortar, 257–62
  models of inhomogeneity, 41–8
  polypropylene fr, 105–14, 193–6
cement pastes
  bonding, 133c
**Chandra, S.** and Berntsson, 'Influence of polymer microparticles on acid resistance of structural lightweight aggregate concrete', 127–31
chrysotile, 177–8
coir fr concrete, 3–13
composite materials, 61c
composite structures, 212r
compressive strength
  lw concrete, 128
  PFA lw concrete, 265–72
  plain concrete, 128
  polymer concrete, 204
  spirally confined lw aggregate concrete, 21, 22, 23
  steel fr concrete beam in torsion, 241–2, 243, 246
  vegetable fr concrete, 7–10, 11
conferences and symposia
  forthcoming, 69–71c, 141–3c, 215–18c, 291–4c
  reports, 61–3c, 133–4c, 209–11c, 283–5c
confinement, spiral
  ductility of lw aggregate concrete, 15–24
construction technology, 214r, 284–5c, 287r
corrosion of reinforcement, 1e, 209–10c
  prevention, 289r
  steel fr concrete, 62c
costs
  lw structural concrete, 134–5
courses and seminars, 1e, 73, 145, 219, 295–6
**Coutts, R. S. P.,** 'Flax fibres as a reinforcement in cement mortars', 257–62
cracking, 149e
  bamboo fr cement, 168–71
  failure of model bridge decks, 157–9
  flexural failure of asbestos cement composites, 99, 101–3
  non-structural, 140r
  polypropylene fr cement composites, 105–14, 194
  propagation in cement-based aggregates, 42–7
  repair with epoxy-bonded steel strip, 247–54
  static loading of steel fr concrete, 201, 202
  steel fr concrete in torsion, 236, 238, 239–46
  vegetable fr concrete under impact, 11, 12
creep
  design, 214r
  vegetable fr concrete, 11, 13

crocidolite ('blue' asbestos), 177–8
curing conditions
  asbestos fr cement, 177, 178
  flexural behaviour of polypropylene fr cement sheets, 194–6
  PFA lw concrete, 269–71
  vegetable fr concrete, 9, 10
**Currie, B.** and Gardiner, 'Flexural behaviour of composite cement sheets using woven polypropylene mesh fabrics', 193–7
**Cusans, A. R.,** Mays, Ong and Wong, 'The performance of model composite bridge decks constructed with open sandwich slabs', 151–63

debonding behaviour (see also pull-out)
  steel fr concrete, 92–6
delamination
  polypropylene fr cement sheets, 194, 196
density
  PFA lw concrete, 264, 267
design, 1e, 214r, 284–5c
  bridges, 73c
  creep and shrinkage, 214r
  housing, 77–8e
  machine tool structures in polymer concrete, 203–7
  model composite bridge decks, 151–3, 154
  plastics in structural engineering, 138–9r
  prestressed concrete, 139r, 283–4c, 289r
ductility
  confinement of lw aggregate concrete, 15–24
  steel fr concrete beams, 199, 200, 235–6, 238, 241–2, 245–6
durability, 1e
  prestressed concrete, 140r
  steel fr concrete, 31, 32

earth, 138r
earthquake resistance, 32
elastic properties
  dynamic modulus, 277–81
  effect of soaking with oil, 277–81
  PFA lw concrete, 269, 272–3
  polymer concrete, 204
  polypropylene fr cement composites, 109, 113
energy dissipation
  impact loading of steel fr concrete, 225–32
engineering practice, 214r
epoxy resin
  repair of reinforced concrete, 247–54

failure mode
  asbestos fr cement composites, 97–103, 177–8
  model bridge decks, 155–63
  polymer fatigue, 210–11c
  polypropylene fr cement sheets, 193–6
  PFA lw concrete, 268
  reinforced concrete beam after gas explosion, 251–2
  steel fr concrete beam in torsion, 239–40, 245
  vegetable fr concrete under impact, 11, 12
fatigue failure of polymers, 210–11c
fatigue strength
  reinforced concrete in seawater, 65
**Fattuhi, N. I.,** 'Toughness of thin slabs under flexural or impact loading', 121–6
ferrocement, 67r
fibre orientation
  steel fr concrete, 30–1, 49–53, 92, 93, 94
finite element analysis
  cement composite sandwich plates, 181–90
  model bridge decks, 155, 161, 162, 163
flax fr cement mortar, 257–62
flexural failure
  asbestos fr cement composites, 97–103
flexural fatigue
  steel fr concrete, 30
flexural strength
  PFA lw concrete, 271
  polypropylene fr cement composites, 107, 111–14, 121–4, 193–6
  steel fr concrete, 29, 199–202, 225–31
  steel reinforced concrete beams, 121–4, 199–202
  vegetable fr concrete, 10, 11, 168–71, 257–62
fly ash, 66r, 284c
  lw concrete mix design, 263–75
fracture behaviour, 149e
  asbestos cement composites, 98–103
  toughness of flax fr cement mortar, 258, 260–2
fracture surfaces, 80–6
fresh concrete, 61–2c

**Gardiner, T.** and Currie, 'Flexural behaviour of composite cement sheets using woven polypropylene mesh fabrics', 193–7
**Garrett, G. G.** and Akers, 'Acoustic emission monitoring of flexural failure in asbestos cement composites', 97–103
**Garrett, G. G.** and Akers, 'The relevance of single fibre models to the industrial behaviour of asbestos cement composites', 173–9
**Gopalaratnam, V. S.** and Naaman, 'Impact properties of steel fibre reinforced concrete in bending', 225–33

**Hatanaka, S.,** Tanigawa, Yamada and Mori, 'A simple constitutive model of steel fibre reinforced concrete', 87–96
hydraulic cement, 133–4c
hydrochloric acid
  attack on concrete, 127–30

impact strength
  polypropylene fr concrete, 121–2, 124–5
  steel fr concrete, 121–2, 124–5, 225–32
  vegetable fr concrete, 10–11, 13, 169, 171
Indian Concrete Institute, 72
inhomogeneity models
  cement-based composites, 41–8

Japan
  fr concrete, 27–40
jute fr concrete, 3–13

**Kareem-Palanjian, A. S.** and Narayanan, 'Steel fibre reinforced concrete beams in torsion', 235–46
**Kasperkiewicz, J.,** Modelling of inhomogeneity in certain cement based composites', 41–8
**Kobayashi, K.,** 'Development of fibre reinforced concrete in Japan', 27–40
**Krishnamoorthy, S.,** Ramaswamy and Ahuja, 'Behaviour of concrete reinforced with jute, coir and bamboo fibres', 3–13

lactic acid
  attack on concrete, 127–30
**Lambert, G. H.** and Swamy, 'Mix design and properties of concrete made from PFA coarse aggregates and sand', 263–75
lightweight concrete, 288r
  acid resistance of 3L-concrete and polymer microparticles, 127–30
  anchorage of deformed bars in 3L-concrete, 115–19
  containing PFA, 263–75
  cost comparison, 134–5
  effect of confinement on ductility, 15–24
  stress–strain characteristics, 89, 105–14

limestone
interface morphology, 79–86
**Losberg, A.** and Olsson, 'Anchorage of deformed bars in lightweight concrete. Influence of concrete cover and spacing of stirrups', 115–20

machine tool structures
polymer concrete design, 203–7
**Maesschalck, R.** and Van Gemert, 'Structural repair of a reinforced concrete plate by epoxy bonded external reinforcement', 247–55
**Mansur, M. A.** and Aziz, 'Study of bamboo-mesh reinforced cement composites', 165–71
Materialite, 16–24
mathematical models, see models
**Matti, M. A.,** 'Effect of oil soaking on the dynamic modulus of concrete', 277–82
**Mays, F. C.,** Ong, Wong and Cusans, 'The performance of model composite bridge decks constructed with open sandwich slabs', 151–63
microscopy, 283c
microstructure
inhomogeneity of cement-based composites, 41–3
vegetable fibres, 4, 6, 7
**Mindess, S.** and Bentur, 'Concrete beams reinforced with conventional steel bars and steel fibres: properties in static loading', 199–202
**Mindess, S.** and Struble, 'Morphology of the cement–aggregate bond', 79–86
mix design, 68r
PFA lw concrete, 263–75
steel fr concrete, 29–30, 38
sulfur–sand composites, 55–6
vegetable fr concrete, 7, 8
models
asbestos cement composites, 173–8
bridge decks, 151–63
dynamic behaviour, 287–8r
inhomogeneity of cement-based composites, 41–8
'QUAD' sandwich elements, 181–8, 190
sandwich beams, 188–90
single fibre, 173–8
steel fr concrete, 87–96
**Moreno, J.,** Shah and Naaman, 'Effect of confinement on the ductility of lightweight concrete', 15–25
**Mori, H.,** Tanigawa, Yamada and Hatanaka, 'A simple constitutive model of steel fibre reinforced concrete', 87–96
morphology
cement–aggregate bond, 79–86
mud, 138r

**Naaman, A. E.** and Gopalaratnam, 'Impact properties of steel fibre reinforced concrete in bending', 225–33
**Naaman, A. E.,** Shah and Moreno, 'Effect of confinement on the ductility of lightweight concrete', 15–25
**Narayanan, R.** and Kareem-Palanjian, 'Steel fibre reinforced concrete beams in torsion', 235–46
**Nicklau, R.-G.** and Schulz, 'Designing machine tool structures in polymer concrete', 203–7

oil, crude
effect on elasticity, 277–81
**Olsson, P.-A.** and Losberg, 'Anchorage of deformed bars in lightweight concrete. Influence of concrete cover and spacing of stirrups', 115–20
**Ong, K. C. G.,** Mays, Wong and Cusans, 'The performance of model composite bridge decks constructed with open sandwich slabs', 151–63
orientation, see fibre orientation

**Parton, G. M.** and Shendy-El-Barbary, 'A finite element analysis for cement composite sandwich plates', 181–91
pavements
steel fr concrete, 38, 39
PFA, see fly ash
pH
effect on interfacial bond, 174, 178
piling practice, 65–6r
plain concrete
acid resistance, 127–30
constitutive model, 88–91
torsion, 235, 240
polyethylene fr concrete, 27, 28–9
polymer concrete (see also under individual polymers)
machine tool structures, 203–7
polymer microparticles
influence on acid resistance of lw concrete, 127–30
polymers, 138–9r (see also individual polymers)
fatigue failure, 210–11c
polypropylene fr cement composites
flexural behaviour of sheets, 193–6
stress–strain characteristics, 105–14
toughness of thin slabs, 121–5
pore structure, 209c
portland cement, 77–8e, 212–13r, 213–14r
microscopy, 283c
morphology of bond to aggregate, 79–86
technology, 139–40r
**Potrzebowski, J.,** 'The splitting test applied to steel fibre reinforced concrete', 49–53
precast products
piles, 65–6r
steel fr concrete, 35–8
prestressed concrete, 283–4c, 289r
analysis and design, 139r
durability, 140r
safety of prestressing, 140r
pull-out
asbestos fr cement, 173–8
steel fr concrete, 229–30

'QUAD' sandwich elements, 181–8, 190
quasi-plastic behaviour
cement-based aggregates, 41–7

**Ramaswamy, H. S.,** Ahuja and Krishnamoorthy, 'Behaviour of concrete reinforced with jute, coir and bamboo fibres', 3–13
recycling of concrete
adhesion problems, 137r
reinforced concrete (see also individual forms of reinforcement)
anchorage, 115–19
corrosion, 1e, 209–10c, 289r
fatigue strength in seawater, 65r
repair with epoxy-bonded steel strip, 247
reinforcement
building structures, 288r
corrosion, 1e, 209–10c, 289r
repair
bridges, 1e, 38, 40, 62–3c, 288–9r
building structures, 288r
epoxy-bonded reinforcement, 247–54
resin concrete, see polymer concrete
rheology, 61–2c
rice husk ash, 223e
rigidity
steel fr concrete beams, 200–1, 202
roads
repair and maintenance, 62–3c
rupture modulus (see also flexural strength, tensile strength)
flax fr cement mortar, 258, 259, 260–2
PFA lw concrete, 269–70
steel fr concrete, 228–31
steel and steel fr concrete beams, 200
safety
prestressing operations, 140r
sandwich plates and slabs
finite element analysis, 181–90
model bridge decks, 151–63

**Schulz, H.** and Nicklau, 'Designing machine tool structures in polymer concrete', 203–7
seawater
fatigue strength of reinforced concrete, 65r
**Shah, S. P.,** Naaman and Moreno, 'Effect of confinement on the ductility of lightweight concrete', 15–25
shear strength
model bridge decks, 155–6
steel fr concrete, 32–3
shear stress
epoxy glue layer, 250–1, 254
**Shendy-El-Barbary, M. E.** and Parton, 'A finite element analysis for cement composite sandwich plates', 181–91
shotcrete method, 34, 36
shrinkage
design, 214r
polypropylene fr cement composites, 113
vegetable fr concrete, 11, 13
silica, 223e, 284c
Singapore Concrete Institute, 220
slag, 223e, 284c
Solite, 16–24
soundproof walls, 35, 37, 38
spiral confinement (reinforcement)
ductility of lw aggregate concrete, 15–24
steel fr concrete
beams in torsion, 235–46
constitutive model, 87–96
corrosion, 62c
impact properties in bending, 225–32
in Japan, 27–40
manufacturing techniques, 33–4
splitting test, 49–53
static loading of beams, 199–202
toughness of thin slabs, 121–5
steel reinforcement
plates in model bridge decks, 151–63
spiral confinement of lw aggregate concrete, 15–24
static loading of beams, 199–202
use of strips in repair, 247–54
strength, 137–8r (see also bond strength, compressive strength, fatigue strength, flexural strength, impact strength, shear strength, tensile strength, torsional strength)
stress level
and creep in sulfur–sand composites, 57, 58
epoxy glue layer, 250–1, 254
stress–strain characteristics, 137–8r
confined lw aggregate concrete, 15–24
PFA lw concrete, 273–4
steel fr concrete model, 87–96
vegetable fr concrete, 11, 12, 168
**Struble, L.** and Mindess, 'Morphology of the cement–aggregate bond', 79–86
sulfate resistance, 213r
sulfur–sand composites, 55–8
sulfuric acid
attack on concrete, 127–30
surface properties
asbestos fr cement, and models, 173–8
steel fr concrete, 230–2
**Swamy, R. N.,** 1e, 77–8e, 149e, 223e
**Swamy, R. N.** and Lambert, 'Mix design and properties of concrete made from PFA coarse aggregates and sand', 263–7
Swedish concrete code BBK79, 115–16, 119–20

**Tanigawa, Y.,** Yamada, Hatanaka and Mori, 'A simple constitutive model of steel fibre reinforced concrete', 87–96
tensile strength
asbestos fr cement, 176
PFA lw concrete, 269, 271
polymer concrete, 204
polypropylene fr cement composites, 107–11
spirally confined lw aggregate concrete, 21, 22
steel fr concrete, 30, 49–53
steel fr concrete beams in torsion, 235, 242–3
vegetable fr concrete, 4, 5, 10, 11, 167–70
tension tests
cement-based aggregates, 41–7
testing methods
acid resistance, 127, 129
acoustic emission, 97–103
anchorage at beam end, 116
concrete in structures, 65r
creep of sulfur–sand composites, 56
deformation of polypropylene fr cement composites, 106–7
dynamic elasticity modulus, 277–8
fibre content, 31, 32
flax fr cement mortar, 258–9
flexural strength of thin slabs, 122
impact properties of steel fr concrete, 225–7
impact strength of thin slabs, 122
model bridge decks, 155
notch tests, 98–9
pull-out (debonding), 174
resonant frequency, 277–8
splitting test on steel fr concrete, 49–53
steel fr concrete, 31, 32
strength and stress–strain characteristics, 137–8r
stress–strain behaviour, 16–17, 18, 273
torsion of beams, 237–8
**Tewfik, M. F.** and Azad, 'Creep of sulfur–sand composite under uniaxial compression', 55–8
torsional strength
steel fr beams, 235–46
toughness
bamboo fr cement, 169–71
flax fr cement mortar, 258, 260–2
thin slabs, 121–5
tunnels
steel fr concrete, 34–5, 37

**Van Gemert, D.** and Maesschalck, 'Structural repair of a reinforced concrete plate by epoxy-bonded external reinforcement', 247–55

waste materials, 137r, 223e
water
effect on elasticity, 278–81
water absorption
bamboo, 167
flax fr cement mortars, 261–2
vegetable fr concrete, 4
water/cement ratio
effect on dynamic elasticity modulus, 280, 281
effect on interfacial properties, 174–8
PFA lw concrete, 265–7, 269
water content
PFA lw concrete, 264–6
**Wong, C. K.,** Mays, Ong and Cusans, 'The performance of model composite bridge decks constructed with open sandwich slabs', 151–63

**Yamada, K.,** Tanigawa, Hatanaka and Mori, 'A simple constitutive model of steel fibre reinforced concrete', 87–96

3L-concrete, 115–19, 127–30